Information For the User CLOPIDOGREL 75 MG

Clopiside 75

Brand Name: Clopiside 75 Tablet

Dosage Form: Tablet

Therapeutic Category: Antiplatelet / Cardiovascular

Composition:

Each uncoated tablet contains:

• **Clopidogrel Bisulphate I.P.** equivalent to **Clopidogrel** – 75 mg

• **Excipients** -q.s.

Description:

Clopiside 75 Tablet contains **Clopidogrel**, a thienopyridine-class antiplatelet agent that inhibits platelet aggregation by selectively and irreversibly blocking the binding of adenosine diphosphate (ADP) to its platelet receptor (P2Y12).

Indications:

- Prevention of atherothrombotic events in patients with a history of myocardial infarction, ischemic stroke, or established peripheral arterial disease
- Management of acute coronary syndrome (ACS) including unstable angina and non-ST elevation myocardial infarction (NSTEMI)
- Post percutaneous coronary intervention (PCI)

Mechanism of Action:

Clopidogrel requires hepatic activation to form its active metabolite. This metabolite irreversibly binds to the platelet P2Y12 ADP receptor, inhibiting ADP-mediated platelet activation and aggregation.

Dosage and Administration:

- **Usual adult dose**: One tablet (75 mg) once daily, with or without food.
- Dosage should be individualized as per the physician's advice.
- Swallow whole; do not crush or chew.

Contraindications:

- Known hypersensitivity to Clopidogrel or any excipients
- Active bleeding disorders (e.g., peptic ulcer, intracranial hemorrhage)
- Severe hepatic impairment

Warnings and Precautions:

- Use cautiously in patients with a risk of bleeding or undergoing surgery
- Monitor patients for signs of thrombotic thrombocytopenic purpura (TTP)
- Use with caution in renal or hepatic impairment

Adverse Effects:

- Bleeding, bruising, gastrointestinal upset
- Rash, pruritus
- Rare: Neutropenia, thrombocytopenia

Storage:

Store in a cool, dry place at a temperature not exceeding 25°C. Protect from light and moisture.

Manufactured in India for:



(An ISO 9001: 2015 Certified Co.) Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for