

Information For the User

Ketoconazole 20mg + Clioquinol (Iodochlorhydroxyquin) 10mg + Tolnaftate 10mg + Neomycin 1mg + Clobetasol 0.5mg+Dexpanthenol 0.5mg Cream

Diziderm KT Cream

Brand Name: Diziderm KT Cream

Dosage Form: Cream

Composition:

Each gram contains:

- **Ketoconazole IP 20 mg**
- **Clioquinol (Iodochlorhydroxyquin) IP 10 mg**
- **Tolnaftate IP 10 mg**
- **Neomycin IP 1 mg**
- **Clobetasol Propionate IP 0.5 mg**
- **Dexpanthenol 0.5 mg**

Description:

Diziderm KT Cream is a comprehensive dermatological formulation combining antifungal, antibacterial, anti-inflammatory, and healing agents. It provides **broad-spectrum protection against fungal and bacterial skin infections** while reducing inflammation, itching, redness, and irritation. The presence of Dexpanthenol enhances skin repair and promotes faster recovery.

Indications:

Indicated for the treatment of:

- Fungal skin infections (Tinea corporis, Tinea cruris, Tinea pedis)
- Mixed bacterial–fungal dermatoses
- Eczematous lesions with secondary infection
- Dermatitis with inflammation, itching, or redness

It helps in **reducing infection, relieving itching, and supporting skin healing.**

Dosage & Administration:

Apply a thin layer to the affected area **2–3 times daily** or as directed by the physician. For external use only. Avoid contact with eyes and mucous membranes.

Pharmacological Action:

- **Ketoconazole:** Broad-spectrum antifungal inhibiting ergosterol synthesis.
- **Clioquinol:** Antibacterial and antifungal activity effective against mixed infections.
- **Tolnaftate:** Inhibits fungal growth by preventing mycelial distortion.
- **Neomycin:** Broad-spectrum bactericidal antibiotic.
- **Clobetasol Propionate:** Potent corticosteroid reducing inflammation, redness, and itching.
- **Dexpanthenol:** Enhances epithelialization and supports skin barrier repair.

Side Effects:

Mild burning sensation or slight skin dryness may occur in some patients.

Precautions & Warnings:

- Do not apply to broken or highly damaged skin.
- Long-term use may cause skin thinning due to corticosteroid content.
- Use with caution in children.
- Avoid occlusive dressings unless advised.
- Discontinue if irritation or hypersensitivity occurs.

Drug Interactions:

Concomitant use with other topical steroids or antifungals should be monitored.

Storage:

Store below **25°C**, in a cool, dry place.
Protect from direct light and moisture.
Keep out of reach of children.

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.)

Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for