Information For the Use Calcium Dobesilate Monohydrate I.P. 500 mg Capsule

Dobetyle Capsules

Calcium Dobesilate Monohydrate I.P. 500 mg Capsule

Calcium Dobesilate Monohydrate 500 mg is a vasoactive medication designed to improve microcirculation and manage conditions involving vascular and capillary abnormalities. It is commonly used for chronic venous insufficiency, diabetic retinopathy, and hemorrhoids. • Calcium Dobesilate Monohydrate works by stabilizing capillary walls, decreasing capillary permeability, and improving blood viscosity. This enhances microcirculation, reduces edema, and supports vascular health.

Dosage & Administration:

- Adults: 1 capsule twice daily, or as prescribed by a healthcare professional.
- Duration of Treatment: Depends on the severity of the condition and medical advice.

Composition (per capsule):

 Calcium Dobesilate Monohydrate I.P. 500 mg

Uses:

- 1. Chronic Venous Insufficiency:
 - Reduces leg swelling, pain, and heaviness caused by poor blood circulation.
- 2. Diabetic Retinopathy:
 - Manages and prevents vascular complications in diabetes affecting the eyes.
- 3. Hemorrhoids:
 - Alleviates pain, swelling, and bleeding associated with piles.
- 4. Varicose Veins:
 - Improves blood flow and minimizes venous dilation.
- 5. Capillary Fragility:
 - Strengthens blood vessel walls to reduce the risk of bleeding and edema.

Mechanism of Action:

Side Effects:

- Common:
 - Nausea, diarrhea, or mild abdominal discomfort.
- Rare (serious):
 - Allergic reactions (rash, itching, swelling).
 - Agranulocytosis (extremely rare, monitor for signs of infection).

Precautions:

- 1. Allergy: Avoid use if allergic to Calcium Dobesilate or any of the capsule's components.
- 2. Pregnancy and Lactation: Use only if prescribed by a healthcare provider.
- **3. Renal Impairment: Caution is advised in patients with kidney disorders.**
- 4. Blood Disorders: Discontinue use and consult a doctor if unusual bleeding, bruising, or signs of infection occur.

Drug Interactions:

- May interact with anticoagulants or antiplatelet drugs, increasing the risk of bleeding.
- Inform the doctor of any other ongoing medications before starting this capsule.

Storage:

- Store in a cool, dry place below 30°C.
- Protect from light and moisture.
- Keep out of reach of children.

Note: This medication should be used under the supervision of a healthcare provider. Regular monitoring may be required for patients with chronic conditions or those on long-term therapy. If symptoms persist or worsen, consult a doctor promptly.

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd. (An ISO 9001: 2015 Certified Co.) Plot no.: 367-FF, Industrial Area Phase-I, Panchkula-134113 TM: Trademark Applied for