Information For the User

Fluticasone Furoate (27.5mcg)

Flutialfa F Nasal Spray

Fluticasone Furoate (27.5 mcg) Nasal Spray

Description:

Fluticasone Furoate is a synthetic corticosteroid used as a nasal spray for managing symptoms of allergic rhinitis and other nasal inflammatory conditions. It reduces inflammation, swelling, and irritation in the nasal passages, providing relief from nasal congestion, sneezing, and runny nose.

Composition:

Each actuation delivers:

• Fluticasone Furoate: 27.5 mcg

Excipients: q.s.

Indications:

- Seasonal allergic rhinitis in adults and children (≥2 years).
- Perennial allergic rhinitis in adults and children (≥2 years).

Dosage and Administration:

- Adults and adolescents (12 years and older):
 - Initial dose: 2 sprays in each nostril once daily (total 110 mcg).
 - Maintenance dose: 1 spray in each nostril once daily (total 55 mcg) after symptom control.
- Children (2–11 years):
 - 1 spray in each nostril once daily (total 55 mcg).

- 1. Shake the bottle gently before each use.
- 2. Clear the nasal passages by blowing the nose gently.
- 3. Hold the spray bottle upright, insert the nozzle into one nostril, and press down while breathing in.
- 4. Repeat for the other nostril.

Contraindications:

- Hypersensitivity to Fluticasone Furoate or any component of the formulation.
- Untreated localized infections in the nasal mucosa (e.g., herpes simplex).

Warnings and Precautions:

- Use with caution in patients with a history of nasal surgery, trauma, or ulcers.
- Monitor for signs of adrenal suppression in long-term use.
- May increase the risk of secondary infections (e.g., candida).
- Use with caution in immunocompromised patients.
- Avoid contact with the eyes; rinse thoroughly if accidental exposure occurs.

Side Effects:

- Common: Nasal irritation, dryness, or nosebleeds.
- Less common: Headache, throat irritation, or cough.
- Rare: Hypersensitivity reactions (rash, swelling, or difficulty breathing).

Instructions for Use:

Storage:

- Store below 25° C (77°F).
- Keep the bottle upright and tightly closed.
- Keep out of reach of children.

Note:

This medication is intended for regular use and may take a few days to achieve full therapeutic effect. Use as directed by a healthcare provider. Avoid exceeding the prescribed dose.

Manufactured in India for:



(An ISO 9001: 2015 Certified Co.) Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for