Information For the User DIACEREIN 50 MG CAPSULE

Ostosite 50 Capsule

Ostosite 50 Capsule

Composition:

Each capsule contains:

- **Diacerein** 50 mg
- **Excipients** q.s.

Description:

Ostosite 50 Capsule is a therapeutic medication used primarily for the management of osteoarthritis. Diacerein, the active ingredient, is a chondroitin sulfate derivative that acts as an anti-inflammatory and analgesic agent. It works by inhibiting the interleukin-1 (IL-1) cytokine, which plays a key role in the inflammatory process, reducing the degradation of cartilage in the joints. This action helps relieve pain, improve joint function, and slow the progression of osteoarthritis.

Ostosite 50 Capsule provides an effective way to manage joint pain, inflammation, and swelling associated with osteoarthritis, especially in the knees, hips, and spine. It also aids in improving mobility and flexibility of the affected joints, thereby improving the quality of life for patients with this condition.

Pharmacological Action:

- **Diacerein** inhibits **interleukin-1** (IL-1), reducing **cartilage degradation** and **inflammatory processes** in the joints.
- Slows the progression of osteoarthritis by improving the synovial fluid and the joint's ability to regenerate.
- Relieves pain and swelling by reducing the effects of inflammation on the joints.

Indications:

Ostosite 50 Capsule is indicated for:

- Osteoarthritis: To manage joint pain, swelling, and inflammation associated with osteoarthritis of the knee, hip, spine, and other joints.
- **Degenerative joint diseases**: To improve joint function and reduce inflammation.
- Chronic pain management in patients with osteoarthritis.

Dosage & Administration:

- **Recommended Dose:** One capsule daily, preferably with food, or as directed by a physician.
- Administration: Swallow the capsule whole with water. Do not crush or chew.

• **Duration of Use:** The duration of therapy depends on the physician's recommendation and the severity of symptoms. Long-term use may be required for ongoing management of osteoarthritis.

Contraindications:

- **Hypersensitivity** to Diacerein or any of the excipients.
- Severe liver impairment.
- **Pregnancy** and **lactation**: The safety of Diacerein during pregnancy and breastfeeding has not been established.

Warnings & Precautions:

- Use with caution in patients with liver diseases, as Diacerein is metabolized by the liver.
- Patients may experience mild **diarrhea** or **stomach discomfort**, especially in the initial stages of treatment.
- Regular monitoring of **liver function** is recommended during prolonged use.
- **Consult a doctor** before use during pregnancy or lactation.
- Not suitable for children under 12 years of age.

Adverse Effects:

Ostosite 50 Capsule is generally well-tolerated but may cause some side effects, including:

- Diarrhea or loose stools.
- Stomach discomfort or nausea.
- Rashes or allergic reactions (rare).
- **Liver function disturbances** (rare with prolonged use).

Drug Interactions:

- No significant drug interactions have been reported with Diacerein.
- Caution is advised when using with **hepatotoxic drugs** as Diacerein is metabolized in the liver.
- Antidiabetic medications: Use with caution as it may have an impact on blood sugar levels.

Storage Conditions:

- Store at **room temperature** (below 25°C).
- Keep in a cool, dry place.
- Protect from moisture and direct sunlight.
- Keep out of reach of children.

Conclusion:

Ostosite 50 Capsule is a proven treatment option for individuals suffering from osteoarthritis and joint pain. By inhibiting inflammatory processes and improving cartilage regeneration, it helps reduce pain, swelling, and stiffness in the affected joints, improving overall joint mobility and quality of life. Long-term use, under medical supervision, ensures effective management of osteoarthritis symptoms.

Manufactured in India for:



Cafoli Lifecare Pvt. Ltd.

(An ISO 9001: 2015 Certified Co.) Plot no.: 367-FF, Industrial Area Phase-I,

Panchkula-134113

TM: Trademark Applied for